#### ΕN

# RIVEDIL DI CODARDO COSIMO SDS224 - TRAVERTINO IN PASTA

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 1/9

# Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: SDS224

Product name TRAVERTINO IN PASTA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Decorative plaster in powder. Internal/ External.

1.3. Details of the supplier of the safety data sheet

Name RIVEDIL DI CODARDO COSIMO
Full address VIA PROV.LE PER VEGLIE KM. 0,500

District and Country 73015 SALICE SALENTINO (LE)

ITALIA Tel. 0832-731293 Fax 0832-731690

e-mail address of the competent person

responsible for the Safety Data Sheet stefanorivedil@rivedil.it

Product distribution by: Codardo Cosimo

1.4. Emergency telephone number

For urgent inquiries refer to Tel. 800183459 (H24) Centro Antiveleni AZIENDA OSP.UNIV. OO.RR. - FOGGIA

# **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1 H318 Causes serious eye damage.
Skin irritation, category 2 H315 Causes skin irritation.
Specific target organ toxicity - single exposure, H335 May cause respiratory irritation.

category 3

Skin sensitization, category 1 H317 May cause an allergic skin reaction. The classification of the compound, featuring an extreme pH value, is based on the results of an appropriate in vitro test.

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.
H315 Causes skin irritation.
H335 May cause respiratory irritation.
H317 May cause an allergic skin reaction.

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 2/9

### SECTION 2. Hazards identification .../>>

Precautionary statements:

Avoid breathing dust / fume / gas / mist / vapours / spray. P261

Wash . . . thoroughly after handling. P264

Wear protective gloves / eye protection / face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER / doctor / . . .

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Contains: Clinker (cemento)

CALCIUM HYDROXIDE

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

Clinker (cemento)

65997-15-1  $13,5 \le x < 15$ CAS 266-043-4

Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1 H317

EC

INDEX

**CALCIUM HYDROXIDE** 

1305-62-0  $13,5 \le x < 15$ Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335,

Classification note according to Annex VI to the CLP Regulation: P

FC 215-137-3

INDEX

01-2119475151-45-0041 Reg. no.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures**

## 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

## 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

## 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 3 / 9

# **SECTION 5. Firefighting measures**

## 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT Choose the most appropriate extinguishing equipment for the specific case. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

## 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE The product is neither flammable nor combustible.

### 5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If the product is flammable, use explosion-proof equipment. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

## 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

## 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

# 7.3. Specific end use(s)

Information not available

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 4/9

# **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

Regulatory References:

**FSP** España INSHT - Límites de exposición profesional para agentes químicos en España 2017

JORF n°0109 du 10 mai 2012 page 8773 texte n° 102 FRA France

**GBR** United Kingdom EH40/2005 Workplace exposure limits EU

Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; OEL EU

Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

**TLV-ACGIH** ACGIH 2017

				CALCIUM	HYDROXIDE				
Threshold Limit Value	ue			07.20.0					
Type	Country	TWA/8h		STEL/15	min				
71	,	mg/m3	ppm	mg/m3	ppm				
VLA I	ESP	5							
VLEP	FRA	5							
WEL	GBR	5							
OEL	EU	1		4		RESP			
TLV-ACGIH		5							
Predicted no-effect	concentra	tion - PNEC	;						
Normal value in fresh water							0,49	mg/l	
Normal value in marine water							0,32	mg/l	
Normal value of STP microorganisms							3	mg/l	
Normal value for the terrestrial compartment							1080	mg/kg	
Health - Derived no-effect level - DNEL / DMEL									
	Effe	cts on consu	ımers			Effects on worke	ers		
Route of exposure	e Acut	te Acu	ıte	Chronic	Chronic	Acute local	Acute	Chronic	Chronic
	loca	l sys	temic	local	systemic		systemic	local	systemic
Oral	NEA	1		NPI					
Inhalation	4			NPI		4		1	
	mg/r	m3				mg/m3		mg/m3	
Skin	VND	)		NPI		VND		NPI	

### Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### **EYE PROTECTION**

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

# RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

# **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 5 / 9

# **SECTION 9. Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance paste Colour white Odour imperceptible Odour threshold Not available Hq 11-12 Melting point / freezing point 250 °C Not applicable Initial boiling point Boiling range Not available Flash point Not applicable Not available **Evaporation Rate** Flammability of solids and gases not flammable Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Relative density Not available Solubility miscible Partition coefficient: n-octanol/water n.a. Auto-ignition temperature 250 °C Not available Decomposition temperature Viscosity n.a. Explosive properties Not available Not available Oxidising properties

## 9.2. Other information

Total solids (250°C / 482°F) 99,00 %
g/itre VOC (Directive 2010/75/EC) : 10,00
VOC (volatile carbon) : 0

# **SECTION 10. Stability and reactivity**

## 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

## 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

# 10.6. Hazardous decomposition products

Information not available

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 6 / 9

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

**ACUTE TOXICITY** 

LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture: Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

CALCIUM HYDROXIDE LD50 (Oral)

7340 mg/kg Rat

SKIN CORROSION / IRRITATION

Causes skin irritation

**SERIOUS EYE DAMAGE / IRRITATION** 

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

**GERM CELL MUTAGENICITY** 

Does not meet the classification criteria for this hazard class

**CARCINOGENICITY** 

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

**ASPIRATION HAZARD** 

#### ΕN

# RIVEDIL DI CODARDO COSIMO SDS224 - TRAVERTINO IN PASTA

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 7 / 9

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

## 12.1. Toxicity

**CALCIUM HYDROXIDE** 

LC50 - for Fish 50,6 mg/l/96h
EC50 - for Crustacea 49,1 mg/l/48h
EC50 - for Algae / Aquatic Plants 184,57 mg/l/72h
Chronic NOEC for Crustacea 32 mg/l
Chronic NOEC for Algae / Aquatic Plants 48 mg/l

### 12.2. Persistence and degradability

**CALCIUM HYDROXIDE** 

Solubility in water 1000 - 10000 mg/l

# 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

## 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number

Not applicable

## 14.2. UN proper shipping name

Not applicable

# 14.3. Transport hazard class(es)

Not applicable

#### ΕN

# RIVEDIL DI CODARDO COSIMO SDS224 - TRAVERTINO IN PASTA

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 8 / 9

## SECTION 14. Transport information .../>>

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# **SECTION 15. Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

# 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

**Eye Dam. 1** Serious eye damage, category 1

**Skin Irrit. 2** Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin Sens. 1 Skin sensitization, category 1
H318 Causes serious eye damage.
H315 Causes skin irritation.

H335 May cause respiratory irritation.
H317 May cause an allergic skin reaction.

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008

Revision nr.1 Dated 10/04/2019 Printed on 18/04/2019 Page n. 9 / 9

### SECTION 16. Other information .../>>

- DNEL: Derived No Effect Level- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

# Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.